



EMH F-Müsli

Basic and Leisure Feed

Feed supplement for horses and ponies

EMH F-Muesli contains only small amounts of molasses. Therefore, it flows easily and is an ideal muesli for silo storage. EMH F-Muesli, without oats, based on hydrothermally expanded maize and barley, is a tasty, low protein muesli. The use as a complete feed at large yards has shown that horses have a high utilisation of the feed nutrients. With the addition of EMH, the digestive system is relieved and supported, which, over time and with continued use, allows for a reduction in the feed volume. EMH F-Muesli is proven to be suitable for horses of all breeds and in all types of work when fed in different quantities. Due to the optimal levels of vitamins, minerals and trace elements, it is also ideal for use in situations where greater volumes of feed are needed each day.

The benefits at a glance:

- protein reduced
- oat-free
- complete concentrated feed
- balanced & tasty
- hydrothermally treated cereal flakes

Recommended feeding:

Feeding recommendation:

light to moderate work: approx. 400 g - 600 g per 100 kg body weight per day

With smaller quantities, we recommend adding a mineral supplement.

Composition: 30,7 % Barley (flaked), 25,1 % Corn flakes, 13,7 % Oat peel bran, 9,2 % Wheat bran, 6,3 % Sugar beet molasses, 4,0 % Dried beet pulp (molassed), 3,0 % Lucerne meal, 3,0 % Barley, 2,2 % Corn, 1,0 % Calcium carbonate, 0,6 % Fermented plant extract (EMH), 0,3 % Sodium chloride, 0,3 % Milk thistle oil

Digestible protein (dCP): 73,6 g/kg
prececal digestible protein (pcvRp): 64,3 g/kg
Digestible energy (MJ DE): 11,7 MJ DE/kg
Metabolizable energy (MJ ME): 10,7 MJ ME/kg

Analytical constituents and levels: 10,00 % Crude protein, 3,40 % Raw fat, 8,00 % Crude fibre, 5,30 % Crude ash, 0,70 % Calcium, 0,35 % Phosphorus, 0,20 % Sodium, 0,15 % Magnesium, 38,40 % Starch, 5,50 % Sugar

Additives per kg: 8.000 I.E. Vitamin A (3a672a) ^{NA}, 800 I.E. Vitamin D3 (3a671) ^{NA}, 100,00 mg Vitamin E (3a700i) ^{NA}, 1,20 mg Vitamin B1 (3a821) ^{NA}, 1,60 mg Vitamin B2 (3a825i) ^{NA}, 0,80 mg Vitamin B6 as pyridoxine hydrochloride (3a831) ^{NA}, 12,00 mg Niacin (3a314) ^{NA}, 8,00 mg Calcium D pantothenate (3a841) ^{NA}, 1,20 mg Folic acid





(3a316)^{NA}, 40,00 mg Choline chloride (3a890)^{NA}, 8,00 mg Iron (3b103) (iron (II) sulphate, monohydrate)^{NA}, 26,00 mg Manganese (3b502) (manganese (II) oxide)^{NA}, 40,00 mg Zinc oxide (3b603)^{NA}, 6,00 mg Copper (3b405) (copper (II) sulphate, pentahydrate)^{NA}, 0,15 mg Selenium (3b801) (sodium selenite)^{NA}, 0,30 mg Calcium iodate, anhydrous (3b202)^{NA}, 24,00 mg Vitamin C (3a312)^{NA}, 240,00 mcg Biotin (3a880)^{NA}, 335,00 mg Propionic acid (1k280), 324,00 mg Propionsäure aus Natriumpropionat (1k281)^{TA}, 586,00 mg Propionsäure aus Calciumpropionat (1a282)^{TA}

NA = Nutritional additives
ZA = Zootechnical additives
TA = Technological additives
SA = Sensory additives

